

MICROTOPPING

G-CONCRETE



by **G-STONE**

**STAMPED & DECORATIVE
CONCRETE SYSTEMS
FLOORS & WALLS**

INTRODUCTION

Microtopping, is now one of the most popular decorative materials used by architects & interior designers.

Its advantage is that it can be used both in new construction and wall & floor renovation, also perfect for covering any part of the floors and walls without having to remove the existing material.

Its practicality and great looks for homes, shops, showrooms, restaurants, terraces, and galleries, gives it a sense of a minimalistic environment...

Microtopping was created to the needs of those who do not like joints because it allows to realize continuous interior and exterior surfaces without joints.



MICROTOPPING

G-concrete Microtopping systems are durable, it's a cementitious product that is normally used as a solution to renovate old ceramic, terrazzo tiles, wood, steel and concrete without demolition.

Microtopping was designed to yield an exceptionally smooth tight-troweled finish.

Microtopping is a cement based coating for floors and walls - 2-3 mm thick – with a high abrasion resistance. Due to its excellent bonding power, can be applied to almost any kind of stable surface.

Microtopping is not comparable with ceramic surfaces, which is a very different material and involves very different production processes.





G-concrete Microtopping an innovative material that renews every surface with just 3 millimeters.



- No joints
- Excellent resistance
- Minimal thickness

Shopping centers




- It can bring new life to old floors.
- It can be used on any concrete surface.



- Hard wearing
- Safe, providing a non-slip surface
- Hygienic and easy to clean
- Available in an extensive colour range
- Suitable for both interiors and exteriors





3 mm




**G-concrete Microtopping
resistant to UV rays and
harsh weather conditions.**





It's a cementitious durable product that is normally used as a solution to renovate old solid existing floor.





Offices

Applying the overlay
at the right thickness



Applying a sheet of
fiberglass mesh





- Safe, providing a non-slip surface

- Available in an extensive colour range

- Suitable for both interiors and exteriors





Microtopping is the perfect finish for renovating floors, walls and surfaces to give your surrounding an exclusive touch. By using a minimal thickness there is no need to remove doors frames and skirting.



- Microtopping was designed to yield an exceptionally smooth tight-troweled finish.
- Microtopping is a cement based coating for floors and walls - 2-3 mm thick – with an high abrasion resistance. Due to its excellent bonding power Microtopping can be applied to almost any kind of stable surface.






Continuous space. Microtopping is perfect for those who want a continuous surface that can make any space unique, Material to use in both rustic and Minimalistic environments. You can choose effects to make it exactly the way you want it.








MICROTOPPING





 www.G-concrete.com

 Jisr al bacha, Metn, Lebanon

 +961 3 872724 | +961 3 810889
+961 3 864248 | +961 1 481454

